Author Index Vol. 711

Adolph, H.W., see Hubatsch, I. 711(1995)105
Aguilar, M.I., see Purcell, A.W. 711(1995)61
Aguilar, M.I., see Purcell, A.W. 711(1995)71
Aguilar, M.-I., see Xie, J. 711(1995)43
Anspach, F.B. and Hilbeck, O.
Removal of endotoxins by affinity sorbents 711(1995)81
Anspach, F.B., Spille, H. and Rinas, U.
Purification of recombinant human basic fibroblast growth factor: stability of selective sorbents under cleaning in place conditions 711(1995)129
Araki, T., see Hosoya, K. 711(1995)247
Baldini, A., see Emaldi, P. 711(1995)339
Bannikova, G.E., see Varlamov, V.P. 711(1995)113
Bartholmes, P., see Heesche-Wagner, K. 711(1995)175
Baum, O., see Löster, K. 711(1995)187
Berger, R.G., Hoffmann, R., Zeppezauer, M., Wagner-Redeker, W., Maljers, L., Ingendoh, A. and Hillenkamp, F.
Separation and characterisation of bovine histone H1 subtypes by combined ion-exchange and reversed-phase chromatography and mass spectrometry 711(1995)159
Birnbaum, S., see Krook, M. 711(1995)119
Bjørnsdottir, I. and Hansen, S.H.
Comparison of separation selectivity in aqueous and non-aqueous capillary electrophoresis 711(1995)313
Bode, Ch., see Parlesak, A. 711(1995)277
Bollhagen, R., Schmiedberger, M. and Grell, E.
High-performance liquid chromatographic purification of extremely hydrophobic peptides: transmembrane segments 711(1995)181
Braud, C., see Vidil, C. 711(1995)323
Brekkan, E., Lu, L. and Lundahl, P.
Properties of immobilized-liposome–chromatographic supports for interaction analysis 711(1995)33
Brückner, H., Westhauser, T. and Godel, H.
Liquid chromatographic determination of D- and L-amino acids by derivatization with *o*-phthaldialdehyde and N-isobutyryl-L-cysteine. Applications with reference to the analysis of peptidic antibiotics, toxins, drugs and pharmaceutically used amino acids 711(1995)201
Brunner, H., see Müller-Schulte, D. 711(1995)53
Calvete, J.J., Reinert, M., Sanz, L. and Töpfer-Petersen, E.
Effect of glycosylation on the heparin-binding capability of boar and stallion seminal plasma proteins 711(1995)167
Cheicante, R.L., Stuff, J.R. and Durst, H.D.
Separation of sulfur containing chemical warfare related compounds in aqueous samples by micellar electrokinetic chromatography 711(1995)347
Chen, L., see Pichon, V. 711(1995)257
Chlenov, M.A., see Varlamov, V.P. 711(1995)113
Durst, H.D., see Cheicante, R.L. 711(1995)347
Elenbring, K., see Englund, A.-K. 711(1995)217
Emaldi, P., Fapanni, S. and Baldini, A.
Validation of a capillary electrophoresis method for the determination of cephradine and its related impurities 711(1995)339
Engel, D., see Hubatsch, I. 711(1995)105
Englund, A.-K., Lundahl, P., Elenbring, K., Ericson, C. and Hjertén, S.
Capillary and rotating-tube isoelectric focusing of a transmembrane protein, the human red cell glucose transporter 711(1995)217
Ericson, C., see Englund, A.-K. 711(1995)217
Eriksen, J.A., see Krook, M. 711(1995)119
Esaka, Y., Goto, M., Haraguchi, H., Ikeda, T. and Kano, K.
Hydrogen-bonding interaction in capillary electrophoresis using polyether matrices 711(1995)305
Fapanni, S., see Emaldi, P. 711(1995)339
Garreau, H., see Vidil, C. 711(1995)323
Godel, H., see Brückner, H. 711(1995)201
Goldstein, M., see Vanderlaan, M. 711(1995)23
Goto, M., see Esaka, Y. 711(1995)305
Grell, E., see Bollhagen, R. 711(1995)181
Guenu, S., see Pichon, V. 711(1995)257
Hansen, S.H., see Bjørnsdottir, I. 711(1995)313
Haraguchi, H., see Esaka, Y. 711(1995)305
Haverkamp, J., see Visser, S. 711(1995)141
He, C., see Selkirk, J.K. 711(1995)331
Hearn, M.T.W., see Purcell, A.W. 711(1995)61
Hearn, M.T.W., see Purcell, A.W. 711(1995)71
Hearn, M.T.W., see Wirth, H.-J. 711(1995)223
Hearn, M.T.W., see Xie, J. 711(1995)43
Heesche-Wagner, K., Schwarz, T., Bartholmes, P. and Kaufmann, M.
Purification of unstable proteins from *Halobacterium salinarium* crude cell extracts: combined cell disruption and desalting by a hollow-fiber membrane module as an access to perform ion-exchange chromatography 711(1995)175
Heeter, G.A. and Liapis, A.I.
Perfusion chromatography: performance of periodic countercurrent column operation and its comparison with fixed-bed operation 711(1995)3
Hennion, M.-C., see Pichon, V. 711(1995)257
Hilbeck, O., see Anspach, F.B. 711(1995)81
Hillenkamp, F., see Berger, R.G. 711(1995)159
Hjertén, S., see Englund, A.-K. 711(1995)217
Hoffmann, R., see Berger, R.G. 711(1995)159
Hofmann, W., see Löster, K. 711(1995)187
Hosoya, K., Kageyama, Y., Yoshizako, K., Kimata, K., Araki, T. and Tanaka, N.
Uniform-sized polymer-based separation media prepared using vinyl methacrylate as a cross-linking agent. Possible powerful adsorbent for solid-phase extraction of halogenated organic solvents in an aqueous environment 711(1995)247

Hubatsch, I., Maurer, P., Engel, D. and Adolph, H.W.
Preparation and characterization of isozymes and isoforms of horse liver alcohol dehydrogenase 711(1995)105
Ikeda, T., see Esaka, Y. 711(1995)305
Ilyina, A.V., see Varlamov, V.P. 711(1995)113
Ingendoh, A., see Berger, R.G. 711(1995)159
Jimenez-Carmona, M.M., Tena, M.T. and Luque de Castro, M.D.
Ion-pair–supercritical fluid extraction of clenbuterol from food samples 711(1995)269
Johnston, J.J., see Kelly, K.L. 711(1995)289
Jozefonvicz, J., see Lakhiari, H. 711(1995)93
Jozefonvicz, J., see Serres, A. 711(1995)151
Kageyama, Y., see Hosoya, K. 711(1995)247
Kano, K., see Esaka, Y. 711(1995)305
Kaufmann, M., see Heesche-Wagner, K. 711(1995)175
Kelly, K.L., Kimball, B.A. and Johnston, J.J.
Quantitation of digitoxin, digoxin, and their metabolites by high-performance liquid chromatography using pulsed amperometric detection 711(1995)289
Kimata, K., see Hosoya, K. 711(1995)247
Kimball, B.A., see Kelly, K.L. 711(1995)289
King, D., see Vanderlaan, M. 711(1995)23
Krook, M., Lindbladh, C., Birnbaum, S., Naess, H., Eriksen, J.A. and Mosbach, K.
Selection of peptides with surface affinity for α-chymotrypsin using a phage display library 711(1995)119
Lagerwerf, F.M., see Visser, S. 711(1995)141
Lakhiari, H., Muller, D. and Jozefonvicz, J.
Interaction mechanisms between insulin and N-acetylneuraminic acid in affinity chromatography 711(1995)93
Li, L., see Nagra, D.S. 711(1995)235
Liapis, A.I., see Heeter, G.A. 711(1995)3
Lindbladh, C., see Krook, M. 711(1995)119
Lopatin, S.A., see Varlamov, V.P. 711(1995)113
Löster, K., Baum, O., Hofmann, W. and Reutter, W.
Characterization of molecular aggregates of $\alpha_1\beta_1$-integrin and other rat liver membrane proteins by combination of size-exclusion chromatography and chemical cross-linking 711(1995)187
Lotti, R., see Vanderlaan, M. 711(1995)23
Lu, L., see Brekkan, E. 711(1995)33
Lundahl, P., see Brekkan, E. 711(1995)33
Lundahl, P., see Englund, A.-K. 711(1995)217
Luque de Castro, M.D., see Jimenez-Carmona, M.M. 711(1995)269
Maljers, L., see Berger, R.G. 711(1995)159
Maurer, P., see Hubatsch, I. 711(1995)105
Merrick, B.A., see Selkirk, J.K. 711(1995)331
Mitrochkin, A.A., see Varlamov, V.P. 711(1995)113
Morgunova, E.Yu., see Varlamov, V.P. 711(1995)113
Mosbach, K., see Krook, M. 711(1995)119
Muller, D., see Lakhiari, H. 711(1995)93
Muller, D., see Serres, A. 711(1995)151
Müller-Schulte, D. and Brunner, H.
Novel magnetic microspheres on the basis of poly(vinyl alcohol) as affinity medium for quantitative detection of glycated haemoglobin 711(1995)53
Naess, H., see Krook, M. 711(1995)119
Nagra, D.S. and Li, L.
Liquid chromatography–time-of-flight mass spectrometry with continuous-flow matrix-assisted laser desorption ionization 711(1995)235
Österlund, B.
Foreword 711(1995)1
Parlesak, A. and Bode, Ch.
Lipopolysaccharide determination by reversed-phase high-performance liquid chromatography after fluorescence labeling 711(1995)277
Pichon, V., Chen, L., Guenu, S. and Hennion, M.-C.
Comparison of sorbents for the solid-phase extraction of the highly polar degradation products of atrazine (including ammeline, ammelide and cyanuric acid) 711(1995)257
Pierrot, M., see Varlamov, V.P. 711(1995)113
Purcell, A.W., Aguilar, M.I. and Hearn, M.T.W.
Conformational effects in reversed-phase high-performance liquid chromatography of polypeptides. I. Resolution of insulin variants 711(1995)61
Purcell, A.W., Aguilar, M.I. and Hearn, M.T.W.
Conformational effects in reversed-phase high-performance liquid chromatography of polypeptides. II. The role of insulin A and B chains in the chromatographic behaviour of insulin 711(1995)71
Reglier, M., see Varlamov, V.P. 711(1995)113
Reinert, M., see Calvete, J.J. 711(1995)167
Reutter, W., see Löster, K. 711(1995)187
Rinas, U., see Anspach, F.B. 711(1995)129
Sanz, L., see Calvete, J.J. 711(1995)167
Schmiedberger, M., see Bollhagen, R. 711(1995)181
Schwarz, T., see Heesche-Wagner, K. 711(1995)175
Selkirk, J.K., He, C. and Merrick, B.A.
Gel electrophoretic analysis of cellular and secreted proteins from resting and activated rat alveolar macrophages treated with pentamidine isethionate 711(1995)331
Serres, A., Muller, D. and Jozefonvicz, J.
Purification of monoclonal antibodies on dextran-coated silica support grafted by thiophilic ligand 711(1995)151
Siek, G., see Vanderlaan, M. 711(1995)23
Slangen, C.J., see Visser, S. 711(1995)141
Spille, H., see Anspach, F.B. 711(1995)129
Stuff, J.R., see Cheicante, R.L. 711(1995)347
Tanaka, N., see Hosoya, K. 711(1995)247
Tena, M.T., see Jimenez-Carmona, M.M. 711(1995)269
Töpfer-Petersen, E., see Calvete, J.J. 711(1995)167
Van Dongen, W.D., see Visser, S. 711(1995)141
Vanderlaan, M., Lotti, R., Siek, G., King, D. and Goldstein, M.
Perfusion immunoassay for acetylcholinesterase: analyte detection based on intrinsic activity 711(1995)23
Varlamov, V.P., Lopatin, S.A., Ilyina, A.V., Bannikova, G.E., Chlenov, M.A., Vasiyarov, G.G., Mitrochkin, A.A., Morgunova, E.Yu., Pierrot, M. and Reglier, M.
New approaches to chromatographic purification of bovine dopamine-β-hydroxylase 711(1995)113
Vasiyarov, G.G., see Varlamov, V.P. 711(1995)113
Vert, M., see Vidil, C. 711(1995)323

Vidil, C., Braud, C., Garreau, H. and Vert, M.
Monitoring of the poly(D,L-lactic acid) degradation by-products by capillary zone electrophoresis 711(1995)323
Visser, S., Slangen, C.J., Lagerwerf, F.M., Van Dongen, W.D. and Haverkamp, J.
Identification of a new genetic variant of bovine β-casein using reversed-phase high-performance liquid chromatography and mass spectrometric analysis 711(1995)141
Wagner-Redeker, W., see Berger, R.G. 711(1995)159
Wang, J. and Warner, I.M.
Combined polymerized chiral micelle and γ-cyclodextrin for chiral separation in capillary electrophoresis 711(1995)297
Warner, I.M., see Wang, J. 711(1995)297
Westhauser, T., see Brückner, H. 711(1995)201
Wirth, H.-J. and Hearn, M.T.W.
Adsorbents for the removal of humic acid from surface water based on modified porous zirconia and silica 711(1995)223
Xie, J., Aguilar, M.-I. and Hearn, M.T.W.
Studies on the adsorption capacities of proteins with a tentacle-type ion exchanger and their relationship to the stoichiometric retention parameter Z_c 711(1995)43
Yoshizako, K., see Hosoya, K. 711(1995)247
Zeppezauer, M., see Berger, R.G. 711(1995)159